

Default PAGE object:

page = PAGE

page.typeNum = 0

page.includeLibs.gmenu_layers = typo3/sysex/cms/tslib/media/scripts/gmenu_layers.php

page.bodyTag = <body bgcolor='#ffffff' leftmargin='0' marginheight='0' marginwidth='0' topmargin='0'>

page.stylesheet = fileadmin/css/body.css

get content

page.10.marks.MAINCONTENT = CONTENT

page.10.marks.MAINCONTENT {

table = tt_content

select.orderBy = sorting

select.where = colPos=0

}

define path to mainTemplate and restrict to Document Markers

page.10 = TEMPLATE

page.10 {

template = FILE

template.file = fileadmin/mainTemplate.html

workOnSubpart = DOCUMENT

marks.HEADERIMAGE < styles.content.getBorder

marks.TOPLEVELNAVI < styles.content.getLeft

marks.LEFTCONTENT < styles.content.getRight

marks.MAINCONTENT < styles.content.get

}

#HEADER Infos

page.headerData.15 = TEXT

page.headerData.15.value (

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<meta http-equiv="Content-Language" content="de-at">

<meta name="author"

content="Wagner Patrick">

```
<meta name="description"
```

```
content="Offizielle Homepage des Sportvereines Kukmirn - this is the oficial homepage from the sport-club  
kukmirn ">
```

```
<meta name="keywords"
```

```
content="Kukmirn, Sportverein Kukmirn, Fuballverein Kukmirn, Sportklub Kukmirn, Sportclub Kukmirn, Fuball,  
Verein, Burgenlandliga, Landesliga, BFV, SVK, ASK, SV, ASK, UFC, Spielgemeinschaft Zickental, Zickental,  
Spielgemeinschaft, Bezirk Gssing, Zickentalcup, Marktgemeinde, Obstanbau, Burgenland, BGLD, Sd Burgenland,  
sterreich, Austria, Autriche">
```

```
<title>SV Kukmirn</title>
```

```
<link rel="shortcut icon" href="fileadmin/images/icons/favIcon.ico" />
```

```
)
```

```
# EMBEDD IE-HACK JAVASCRIPT
```

```
page.headerData.16 = TEXT
```

```
page.headerData.16.value (
```

```
<script language="JavaScript">
```

```
<!--
```

```
startList = function() {
```

```
if (document.all && document.getElementById) {
```

```
navRoot = document.getElementById("nav");
```

```
for (i=0; i<navRoot.childNodes.length; i++) {
```

```
    node = navRoot.childNodes[i];
```

```
    if (node.nodeName=="LI") {
```

```
        node.onmouseover=function() {
```

```
            this.className+=" over";
```

```
        }
```

```
        node.onmouseout=function() {
```

```
            this.className=this.className.replace
```

```
                (" over", "");
```

```
        }
```

```
    }
```

```
}
```

```
}
```

```
}
```

```
window.onload=startList;
```

```
-->
```

</script>

)

#SEARCH INDEX

page.config.index_enable = 1

AUTOMATIC. GENERATED BREADRUMB NAVIGATION

page.10.marks.PFAD = HMENU

page.10.marks.PFAD {

special = rootline

special.range = 0 | -1

1 = TMENU

1 {

NO {

allWrap = | > |*| | > |*| |

ATagParams=class="rootlineLink"

}

}

}

GENERATE DATE FUNCTION

http://de2.php.net/strftime

page.10.marks.DATUM = COA

if.isTrue.data = page:lastUpdated

page.10.marks.DATUM.10 = TEXT

page.10.marks.DATUM.10.data = register:SYS_LASTCHANGED

page.10.marks.DATUM.10.strftime = %d.%m.%Y

page.10.marks.DATUM.10.wrap = Aktualisiert am: |

#if >

#####

EXTENSIONS

#####

#===== PDF Generator =====

```
page.10.marks{  
  
MAKEPDF = TEXT  
  
MAKEPDF {  
  
value = Seite als PDF  
  
postUserFunc = tx_pdfgenerator2->makePdfLink  
  
postUserFunc.include_post_vars = 1  
  
postUserFunc.target = _blank  
  
    }  
}
```

```
#===== Resize Styles =====
```

```
config.linkVars = F
```

```
#Start Resize
```

```
#Include PHP-Script into FE
```

```
page.10.marks.SKALIERUNG= COA
```

```
page.10.marks.SKALIERUNG {
```

```
    1 = PHP_SCRIPT
```

```
    1.file = fileadmin/switch.php
```

```
}
```

```
#Include CSS-file for normal style
```

```
[globalVar = GP:F=0]
```

```
page.includeCSS {
```

```
    file1 = fileadmin/css/body.css
```

```
    file1.title = Standardansicht
```

```
    file1.media = screen
```

```
}
```

```
[END]
```

```
#Include CSS-file for middle style
```

```
[globalVar = GP:F=1]
```

```
page.includeCSS {
```

```
    file2 = fileadmin/css/vergroessertStyle.css
```

```
    file2.title = Vergroesserte Ansicht
```

```

        file2.media = screen
    }

[END]

#Include CSS-file for maximum style
[globalVar = GP:F=2]
page.includeCSS {
    file3 = fileadmin/css/maximumStyle.css
    file3.title = Maximale Ansicht
    file3.media = screen
}

```

[END]

#===== PRINT =====

temp.print-link = TEXT

```

temp.print-link {
    value = Druckversion
    wrap = |<br />
    typolink {
        # link to the current page id with type 98
        parameter = {page:uid},98
        parameter.insertData = 1
        useCacheHash = 1
        # add all get parameters from the current URL
        addQueryString = 1
        addQueryString.method = GET
        # remove the page id from the parameters so it is not inserted twice
        addQueryString.exclude = id
    }
}

```

Add the print link to your page

page.10.marks.PRINTLINK < temp.print-link

DRUCKpage DEFINIEREN

```
# *****
```

```
print = PAGE
```

```
print {
```

```
    typeNum = 98
```

```
    ##disable typo3 index
```

```
    config.index_enable = 0
```

```
    bodyTag = <body bgcolor="#FFFFFF" leftmargin="0" marginheight="0" marginwidth="0" topmargin="0"
onload="javascript:window.print()">
```

```
    ##disable google index
```

```
    headerData.123 = TEXT
```

```
    headerData.123.value = <meta name="robots" content="noindex, nofollow" />
```

```
includeCSS.fileDefault = fileadmin/css/printStyle.css
```

```
10 = TEMPLATE
```

```
10 {
```

```
    template = FILE
```

```
    template.file = fileadmin/printTemplate.html
```

```
    workOnSubpart = DOCUMENT
```

```
marks {
```

```
    MAINCONTENT < styles.content.get
```

```
    }
```

```
}
```

```
}
```